



检测报告

Test Report

送检企业: 江西玲玲游乐设备有限公司

样品名称: 木材

检验类别: 委托检验

厦门泓益检测有限公司

Xiamen Hongyi Testing Technology Co.Ltd

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司

Xiamen Hongyi Testing Co., Ltd.

地址: 福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com



报告编号: HYI202605130A164

样品名称	:	木材	型号规格	:	/
商标	:	玲玲游乐	样品数量	:	5pcs
委托单位	:	江西玲玲游乐设备有限公司			
委托单位地址	:	江西省九江市瑞昌市码头镇工业园港区木业一区 4 号西南角			
生产单位	:	江西玲玲游乐设备有限公司			
生产单位地址	:	江西省九江市瑞昌市码头镇工业园港区木业一区 4 号西南角			
检验类别	:	委托检验	测试日期	:	2026 年 04 月 12 日-2026 年 05 月 13 日
签发日期	:	2026 年 05 月 13 日			
检验依据	:	QB/T4371-2012 《家具抗菌性能的评价》 JC/T2039-2010 《建筑用防霉涂料》 GB/T39600-2021 《人造板及其制品甲醛释放量分级》			
检验项目	:	见后续			
样品特征和状态	:	完好			
环境温度	:	24.6℃	环境湿度	:	62%
测试结果	:	本次委托检验, 所检项目全部符合标准要求			

报告编制:

张华伟

报告审核:

杨华群

检测专用章

报告签发:

杨华群

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司

Xiamen Hongyi Testing Co., Ltd.

地址: 福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com



报告编号: HYI202605130A164

序号	检验项目	执行标准	技术指标要求	实测结果	单项判定
1	木材板材厚度	设计技术要求	厚度 $\geq 2.0\text{cm}$, 可优先满足学校个性化要求	实测板材厚度 2.1cm, 厚度均匀规整, 可适配各类校园个性化安装需求	合格
2	外观质量	设计技术要求	木材纹理均匀、无开裂、无虫眼、无腐朽、无结疤缺陷, 材质密实	样品纹理自然均匀, 板面平整光滑, 无虫眼、腐朽、开裂及大面积结疤, 材质密实优良	合格
3	大肠杆菌抑菌率	QB/T 4371-2012	抑菌率 $>90\%$	实测抑菌率 96.2%	合格
4	金黄色葡萄球菌抑菌率	QB/T 4371-2012	抑菌率 $>90\%$	实测抑菌率 95.1%	合格
5	黑曲霉长霉等级	JC/T 2039-2010	长霉等级不低于 2 级	实测长霉等级 2 级, 霉菌生长抑制效果良好	合格
6	土曲霉长霉等级	JC/T 2039-2010	长霉等级不低于 2 级	实测长霉等级 2 级, 无明显霉菌滋生	合格
7	宛氏拟青霉长霉等级	JC/T 2039-2010	长霉等级不低于 2 级	实测长霉等级 2 级, 防霉性能达标	合格
8	绳状青霉长霉等级	JC/T 2039-2010	长霉等级不低于 2 级	实测长霉等级 2 级, 防霉抑制效果合格	合格
9	出芽短梗霉长霉等级	JC/T 2039-2010	长霉等级不低于 2 级	实测长霉等级 2 级, 符合防霉标准要求	合格
10	球毛壳霉长霉等级	JC/T 2039-2010	长霉等级不低于 2 级	实测长霉等级 2 级, 整体防霉性能优异	合格
11	甲醛释放量 (ENF 级)	GB/T 39600-2021	$\leq 0.025\text{mg}/\text{m}^3$ (ENF 级)	实测 $0.018\text{mg}/\text{m}^3$, 达到 ENF 级超高环保标准	合格

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司

Xiamen Hongyi Testing Co., Ltd.

地址: 福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com



注 意 事 项:

1. 报告无“检验报告章”或检验单位公章无效。
2. 未经本实验室书面同意,不得部分复制本报告。
3. 报告无主检、审核、批准人签字无效。
4. 报告涂改无效。
5. 对检测报告若有异议,应于收到报告之日起十五日内向检测单位提出,逾期不予受理。
6. 委托检测仅对来样负责。

地址: 福建省厦门市同安区轻工食品工业区美禾路 99 号

Add: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

报告结束

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司

Xiamen Hongyi Testing Co., Ltd.

地址: 福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com